



# Material Safety Data Sheet

## 1. Product and Company Identification

<b>Product name</b>	<b>Mineral Core Doors</b>
<b>MSDS Number</b>	0002
<b>Synonyms</b>	MC-45NP, MC-45B, MC-45A, MC-60NP, MC-60B, MC-60A, MC90NP, MC-90B, MC-90A, INFINITY
<b>Product use</b>	Various Construction Uses
<b>Manufacturer</b>	<b>Doormerica Products (ABS – Manufacturing)</b>  <b>Sacramento, CA Division</b> 8360 Elder Creek Road. Sacramento, CA 95828-1705  <b>Stockton, CA Division</b> 1488 Tillie Lewis Drive Stockton, CA 95206  <b>Atlanta, GA Division</b> 4475 South Fulton Parkway – Bldg 6 – Suite 200 Union City, GA 30349
<b>Print date</b>	May 1, 2010
<b>Telephone</b>	Emergency Phone (916) 503-4100  Sacramento, CA (916) 503-4100 Stockton, CA (209) 941-8852 Atlanta, GA (404) 935-4060

## 2. Hazards Identification

<b>Form</b>	Doors are comprised mostly of Wood, MDF, Particleboard, Paper, Plastic Laminate and resin based adhesives.
<b>Odor</b>	Color and Odor are dependent on wood species used, but very slight and aromatic.
<b>OSHA/HCS status</b>	While this material is not considered hazardous by the OSHA Hazard Communication Standard (29 CFR 1910.1200), this MSDS contains valuable information critical to the safe handling and proper use of the product. This MSDS should be retained and available for employees and other users of this product.
<b>Emergency overview</b>	If this product is cut, sanded or manipulated so that dust or airborne particles may be produced it may become a health hazard.
<b><u>Potential acute health effects</u></b>	
<b>Inhalation</b>	Can cause irritation of the respiratory system.
<b>Ingestion</b>	Not likely, can be harmful or fatal.
<b>Skin</b>	Handling doors without gloves may lead to wood splinters and or cuts. Some woods are known to cause allergic skin reactions.

<b>Eyes</b>	May cause eye irritation or damage.
<b><u>Potential chronic health effects</u></b>	
<b>Chronic effects</b>	Inhalation exposure may cause permanent damage to the lungs. Exposure to wood dust may cause respiratory and skin sensitization.
<b>Carcinogenicity</b>	Suspected Cancer Agents of some components used in this product. (Calcium Silicate, Melamine, Wood dust, Beech, Oak, Birch, Mahogany, Teak, Walnut, Western Red Cedar)
<b>Mutagenicity</b>	No known significant effects or critical hazards.
<b>Teratogenicity</b>	No known significant effects or critical hazards.
<b>Developmental effects</b>	No known significant effects or critical hazards.
<b>Fertility effects</b>	No known significant effects or critical hazards.
<b>Target organs</b>	Chronic = Respiratory System, skin. Acute = Skin (cuts, splinters), Respiratory System, eyes (dust exposure).
<b><u>Over-exposure signs/symptoms</u></b>	
<b>Inhalation</b>	Nasal dryness, coughing, sneezing, sinusitis, headache, allergic reaction, wheezing
<b>Ingestion</b>	Not likely, could cause nausea, vomiting, severe abdominal distress.
<b>Skin</b>	Splinters can cause infection or allergic skin reaction. Redness, itching, welts.
<b>Eyes</b>	Irritation or damage from dust or splinters.
<b>Medical conditions aggravated by over-exposure</b>	Asthma

See section 11 for more detailed information on health effects and symptoms.

### 3. Composition/Information on Ingredients

<b>Chemical Name</b>	<b>CAS #</b>	<b>Wt %</b>
Wood, Hardwood and Softwood Mixture	Not Applicable	20.0 – 25.0
Paper, Plastic, Wood, Melamine Mixture	Proprietary Mixture	15.0 - 18.0
PVA Resin, Urea, Adhesive Mixture	Proprietary Mixture	5.0 - 12.0
Paraffin Wax Emulsion	Proprietary Mixture	1.0
Proprietary Mixture of Complex Metal Silicates	Proprietary Mixture	5.0 – 9.0
Proprietary Composite Material	Proprietary Mixture	5.0 – 15.0
Calcium Silicate	1344-95-2	50.0 – 70.0

## 4. First Aid Measures

<b>Eye contact</b>	Immediately flush eyes with plenty of water for at least 15 minutes, occasionally lifting the upper and lower eyelids. Check for and remove any contact lenses. Get medical attention if irritation occurs.
<b>Skin contact</b>	Flush contaminated skin with plenty of water. Get medical attention if symptoms occur.
<b>Inhalation</b>	Move exposed person to fresh air. Keep person warm and at rest. If not breathing, if breathing is irregular or if respiratory arrest occurs, provide artificial respiration or oxygen by trained personnel. If unconscious, place in recovery position and get medical attention immediately. Maintain an open airway. Get medical attention if symptoms occur.
<b>Ingestion</b>	Wash out mouth with water. Do not induce vomiting unless directed to do so by medical personnel. Never give anything by mouth to an unconscious person. Get medical attention if symptoms occur.
<b>Protection of first aid personnel</b>	No action shall be taken involving any personal risk or without suitable training.

See section 11 for more detailed information on health effects and symptoms.

## 5. Fire-Fighting Measures

<b>Flash Point</b>	Not Determined
<b><u>Extinguishing media</u></b>	
<b>Suitable</b>	Water Spray, Foam, Halon, Carbon Dioxide, Dry Chemical, Any ABC Class.
<b>Not suitable</b>	None known.
<b>Special exposure hazards</b>	Promptly isolate the scene by removing all persons from the vicinity of the incident if there is a fire. No action shall be taken involving any personal risk or without suitable training.
<b>Explosion sensitivity</b>	Not sensitive to static discharge. If dusty conditions develop while being sanded or manipulated, a sever hazard of an air / dust explosion may occur.
<b>Special protective equipment for fire-fighters</b>	Fire-fighters should wear appropriate protective equipment and self-contained breathing apparatus (SCBA) with a full face-piece operated in positive pressure mode.

## 6. Accidental Release Measures

<b>Personal precautions</b>	No action shall be taken involving any personal risk or without suitable training. Evacuate surrounding areas. Due to the form of this product, there is no hazrad of release.
<b>Environmental precautions</b>	Waste doors may be disposed of as non-hazardous materials. Dispose of in direct accordance with U.S. Federal, State and local regulations.

## 7. Handling and Storage

<b>Handling</b>	Eating, drinking and smoking should be prohibited in areas where this material is handled, stored and processed. Workers should wash hands and face before eating, drinking and smoking. Do not ingest. Avoid contact with eyes, skin and clothing. Avoid breathing dust generated from this product. Use in well ventilated area or where dust collection system available.
<b>Storage</b>	Keep away from heat, sparks and any other sources of ignition. Do not cut or sand doors without adequate dust collection or in unventilated areas. Store only in cool, dry, ventilated area. Appropriate extinguishing equipment must be available in storage area. I.e. sprinkler system, fire extinguishers.

## 8. Exposure Controls / Personal Protection

**Consult local authorities for acceptable exposure limits.**

<b>Recommended monitoring procedures</b>	If this product contains ingredients with exposure limits, personal, workplace atmosphere or biological monitoring may be required to determine the effectiveness of the ventilation or other control measures and/or the necessity to use respiratory protective equipment.
<b>Engineering measures</b>	Good general ventilation should be sufficient to control worker exposure to airborne contaminants. If this product contains ingredients with exposure limits, use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure below any recommended or statutory limits.
<b>Hygiene measures</b>	Wash hands, forearms and face thoroughly after handling this product, before eating, smoking and using the lavatory and at the end of the working period.
<b>Respiratory</b>	Use a properly fitted, air-purifying or air-fed respirator complying with an approved standard if a risk assessment indicates this is necessary. Respirator selection must be based on known or anticipated exposure levels, the hazards of the product and the safe working limits of the selected respirator.
<b>Hands</b>	Leather or other type glove that will protect against cuts and splinters when handling this product.
<b>Eyes</b>	Safety eyewear complying with an approved standard should be used when a risk assessment indicates this is necessary to avoid exposure to dusts.
<b>Skin</b>	Personal protective equipment for the body should be selected based on the task being performed and the risks involved.
<b>Environmental exposure controls</b>	Emissions from ventilation or work process equipment should be checked to ensure they comply with the requirements of environmental protection legislation. In some cases, filters or engineering modifications to the process equipment will be necessary to reduce emissions to acceptable levels.

## 9. Physical and Chemical Properties

<b>Form</b>	Solid pressed wood
<b>Flash point</b>	Not applicable
<b>Auto-ignition temperature</b>	400 – 500 degrees F.
<b>Flammable limits</b>	
<b>Lower:</b>	Not applicable
<b>Upper:</b>	Not applicable
<b>Color</b>	Various
<b>Odor</b>	Slight aromatic
<b>pH</b>	Not applicable
<b>Boiling point</b>	Not applicable
<b>Freezing Point</b>	Not applicable
<b>Relative density</b>	Not applicable
<b>Vapor pressure</b>	Not applicable
<b>Odor threshold</b>	Not applicable
<b>Viscosity</b>	Not applicable
<b>Solubility</b>	Not applicable
<b>Partition coefficient: n-octanol/water</b>	Not applicable
<b>Evaporation rate</b>	Not applicable
<b>Vapor density</b>	Not applicable

## 10. Stability and Reactivity

<b>Stability</b>	The product is stable.
<b>Conditions to avoid</b>	Strong oxidizing agents
<b>Materials to avoid</b>	Strong oxidizing agents
<b>Hazardous decomposition products</b>	Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## 11. Toxicological Information

As manufactured this product poses minimal health hazard. When cut, sanded or manipulated to form dust, inhalation and eye contact may cause irritation. Some types of wood used in this product can cause skin respiratory reactions. Formaldehyde exposure may cause skin and or respiratory sensitization. Suspected Cancer Agents of some components used in this product. (Crystalline Silica, Melamine, Wood dust, Beech, Oak, Birch, Mahogany, Teak, Walnut, Western Red Cedar)

## 12. Ecological Information

<b>Environmental effects</b>	No known significant effects or critical hazards.
<b>Other adverse effects</b>	No known significant effects or critical hazards.

## 13. Disposal Considerations

<b>Waste disposal</b>	Waste doors may be disposed of as non-hazardous materials. Dispose of in direct accordance with U.S. Federal, State and local regulations.
-----------------------	--

## 14. Transport Information

The data provided in this section is for information only and may not be specific to your package size or mode of transport. You will need to apply the appropriate regulations to properly classify your shipment for transportation.

### International transport regulations

Regulatory information	UN/NA number	Proper shipping name	Classes/*PG	Reportable Quantity (RQ)
USDT 49 CFR		Non-regulated		
TDG		Non-regulated		
IMO/IMDG		Non-regulated		
IATA (Cargo)		Non-regulated		

## 15. Regulatory Information

### US regulations

HCS Classification Not regulated

U.S. Federal regulations **SARA 311/312 Classification** Acute – No, Chronic – No, Fire – Yes, Reactive – No, Sudden Release - No

**SARA 302 Extremely Hazardous Substances** None required.

State regulations **California Prop. 65:** None required.

### Canada

WHMIS (Canada) Not controlled under WHMIS (Canada).

Canadian lists **Canadian NPRI:** None required.

### International regulations

Europe inventory All components are listed or exempted.  
Australia inventory (AICS) All components are listed or exempted.  
China inventory (IECSC) Not determined.  
Japan inventory (ENCS) Not determined.  
Japan inventory (ISHL) Not determined.  
Korea inventory (KECI) Not determined.  
New Zealand Inventory of Chemicals (NZIoC) Not determined.  
Philippines inventory (PICCS) Not determined.  
Canada inventory All components are listed or exempted.  
United States inventory (TSCA 8b) All components are listed or exempted.

## 16. Other Information

Hazardous Material Information System III (U.S.A.) Health : 1  
Flammability: 1  
Physical hazards : 0  
Chronic : 0

Prepared by American Building Supply, Inc.  
Date of issue May 1, 2010  
Date of printing May 1, 2010  
Version 0001  
Notice to reader

The information provided herein was believed by American Building Supply ("ABS") to be accurate at the time of preparation or prepared from sources believed to be reliable, but it is the responsibility of the user to investigate and understand other pertinent sources of information, to comply with all laws and procedures applicable to the safe handling and use of the product and to determine the suitability of the product for its intended use. All products supplied by ABS are subject to ABS's terms and conditions of sale. ABS MAKES NO WARRANTY, EXPRESS OR IMPLIED, CONCERNING THE PRODUCT OR THE MERCHANTABILITY OR FITNESS THEREOF FOR ANY PURPOSE OR CONCERNING THE ACCURACY OF ANY INFORMATION PROVIDED BY ABS, except that the product shall conform to ABS's specifications. Nothing contained herein constitutes an offer for the sale of any product.